

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	Guangzhou Wangma Electronic Technology Co., Ltd.	<b>Manufacturer:</b>	Guangzhou Wangma Electronic Technology Co., Ltd.
<b>Address:</b>	3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU Guangdong 511442	<b>Address:</b>	3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU Guangdong 511442
<b>Country:</b>	CHINA	<b>Country:</b>	CHINA
<b>Party Authorized To Apply Mark:</b>	Same as Manufacturer		
<b>Report Issuing Office:</b>	Intertek Testing Services Shanghai Limited		
<b>Control Number:</b>	<u>5028839</u>	<b>Authorized by:</b>	 _____ for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<b>Standard(s):</b>	Audio/Video, Information and Communication Technology Equipment - Part 1: Safety Requirements [UL 62368-1:2019 Ed.3+R:22Oct2021] Audio/Video, Information and Communication Technology Equipment - Part 1: Safety Requirements [CSA C22.2#62368-1:2019 Ed.3+U1]
<b>Product:</b>	SWITCHING POWER SUPPLY
<b>Brand Name:</b>	<b>WM wangma</b> ®
<b>Models:</b>	WM-LR620WA-63, WM-LR620WA-24



Ref. Certif. No.

**SE-113798**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

### CB TEST CERTIFICATE

Product	Switching Power Supply
Name and address of the applicant	Guangzhou Wangma Electronic Technology Co., Ltd. 3F, No.147, Shixin Road, Kengtou Village, Nancun Town, Panyu District, Guangzhou, China
Name and address of the manufacturer	Same as applicant
Name and address of the factory	Same as applicant
<i>Note: When more than one factory, please report on page 2</i>	<input type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	Input: 110-120V~ 9.5A, 200-240V~ 4.9A, 50/60Hz Class I Output: 5Vdc, 2A; 12Vdc, 12A; 63Vdc, 2A; 48Vdc, 4A for model WM-LR620WA-63; 5Vdc, 2A; 12Vdc, 12A; 24Vdc, 2A; 48Vdc, 5.5A for model WM-LR620WA-24
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	-
Model / Type Ref.	WM-LR620WA-63, WMLR620WA-24
Additional information (if necessary may also be reported on page 2)	The group and national differences for the CENELEC countries have been checked. <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	240100814SHA-001

This CB Test Certificate is issued by the National Certification Body

Intertek Semko AB  
Torshamnsgatan 43  
Box 1103  
SE-164 22 Kista, Sweden

Date: 18 April, 2024

**intertek**

Signature:

Gary Hu

# Test Verification of Conformity

Verification Number: 240100814SHA-V1

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant  mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	Guangzhou Wangma Electronic Technology Co., Ltd. 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, Guangzhou, China.
Product Description:	Switching Power Supply
Ratings & Principle Characteristics:	Input: 110-120V~ 9.5A, 200-240V~ 4.9A, 50/60Hz Class I Output: 5Vdc, 2A; 12Vdc, 12A; 63Vdc, 2A; 48Vdc, 4A for model WM-LR620WA-63; 5Vdc, 2A; 12Vdc, 12A; 24Vdc, 2A; 48Vdc, 5.5A for model WM-LR620WA-24
Models/Type References:	WM-LR620WA-63, WMLR620WA-24
Brand Name:	
Relevant Standards:	IEC 62368-1:2018 & EN IEC 62368-1:2020+A11:2020 the Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North), Caohejing Development Zone, Shanghai 200233, China
Date of Tests:	2024-01-19~2024-04-08
Test Report Number(s):	240100814SHA-001



## Signature

**Name: Jenny Zheng**  
**Position: Asst. Manager**  
**Date: 24-April-2024**

접수 번호 : 25-043627-01-1  
(Receipt No.)



# 안전확인신고 증명서

## Confirmation Letter of Declaration

신고 번호 : ZU101761-25001  
(Application No.)

신고 회사명 : Guangzhou Wangma Electronic Technology Co., Ltd.  
(Applicant)

주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU GUANGDONG 511442, CHINA  
(Address)

제품명 : 컴퓨터용 전원공급장치(Switching Power Supply)  
(Product)

기본모델명 : WM-LR620WA-24  
(Basic Model)

파생모델명 : WM-LR620WA-63  
(Series Model)

정격/안전기준상의 모델구분 : Input: 110-120 V~, 9.5 A, 50/60 Hz; 200-240 V~, 4.9 A, 50/60 Hz; Output: 5 Vdc, 2 A; 12 Vdc, 12 A; 24 Vdc, 2 A; 48 Vdc, 5.5 A.  
(Rating)

안전기준 : KC62368-1(2021-08)  
(Standard)

본 확인신고는 제조국명 : 중국  
 제조업자명 : Guangzhou Wangma Electronic Technology Co., Ltd.  
 제조공장의 주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU GUANGDONG 511442, CHINA  
 의 제품에만 해당함

「전기용품 및 생활용품 안전관리법 시행규칙」 제29조제1항, 같은 조 제3항, 제20조제2항 또는 제34조제2항에 따라 안전확인신고 증명서를 발급합니다.

We issue this Confirmation Letter of Declaration of the Safety Confirmation for the above appliance in accordance with the Article 29(1), 29(3), 20(2) or 34(2) of the Enforcement Rule of the Electrical Appliances and Consumer Products Safety Control Act.

2025 년 07 월 21 일  
Year month day

한국산업기술시험원  
KOREA TESTING LABORATORY



\* 이 신고증서란 「전기용품 및 생활용품 안전관리법」에 따른 제품의 안전성 확인에 한정된 것이며, 그 밖의 다른 법률이 적용되는 것들의 경우에는 해당 법률에 따라 추가로 인증·허가 등을 받아야 합니다.

첨부서류

1. 전기용품의 안전관리부품 및 재질목록(List of Critical Components)(전기용품에 한정한다)
2. 기본모델 - 파생모델의 내용(Description of the basic and series model)
3. 안전확인신고 내용의 변경 현황(Revisions Status)

KOREA TESTING LABORATORY 경상남도 진주시 중의로 10 Tel : 080-808-0114 <http://customer.ktl.re.kr>



\* 위 마크는 추후 전자확인증 대조 프로그램에서 원본대조시 사용되는 2D코드입니다.

# 안전인증 및 자율안전확인을 받은 자의 유의사항

## Notification for recipient (license holder) of Safety Certification and Confirmation Letter of Declaration

- 본 인증서 또는 신고증명서는 기재된 제조공장에서 생산된 제품으로서 적용된 안전기준에 적합한 경우에 한하여 유효합니다. (This certificate or confirmation letter of declaration is valid only when the product meets the applied safety standard(s) and is manufactured for in the manufacturing factory that appears on this certificate.)
- 안전인증 또는 안전확인 마크는 본래의 의미와 다르게 사용자가 오해를 일으킬 수 있는 방법으로 광고, 카탈로그 등에 사용하면 인증정지 또는 취소의 사유가 됩니다. (Termination or cancellation of the certification may occur if the actual meaning of this safety certification mark (KC-mark) or Confirmation Letter of Declaration mark (KC-mark) is misled to the public by false advertisement on a overstated catalog of the product.)
- 다음과 같은 사유가 발생할 경우에는 사유가 발생한 날로부터 15일 이내에 안전인증기관에 안전인증 또는 안전확인 변경 신청을 하여 안전인증서 또는 안전확인신고 증명서를 재교부 받아야 합니다. (In case of the following events, this safety certificate or Confirmation Letter of Declaration shall be reapplied within 15 days from the events and reissued for revision.)
  - 제조업자, 수입업자, 주소 등 인증서 기재내용의 변경 (Revision in contents of the certificate such as factory name, importer, factory address, etc)
  - 파생모델의 추가, 변경 또는 삭제 (Adds, changes, or removals of derivative (minor series) model)
  - 안전관리부품의 변경 또는 추가 (Adds or changes in critical components list)
  - 인증서 또는 신고증명서의 분실 또는 훼손 (Losses or damages to this certificate or confirmation letter of declaration)
- 안전인증 또는 안전확인을 받은 자는 다음 사항을 이행하여야 합니다. (The recipient (license holder) of safety certificate (KC-mark) or confirmation letter of declaration shall comply with the followings.)
  - 안전인증표시 등 인증요건의 유지 관리 (Maintaining and managing the marking of safety certification and other certification requirements)
    - ※ 안전인증을 받기 이전 또는 정지, 취소된 이후 생산된 제품에 안전 표시를 하면 법에 의거 처벌을 받게 됨 (It will be punished by the Act if the certification mark is used before the issue (or after suspension or cancellation) of the certification)
  - 자체검사의 실시 및 그 기록관리 (Self Product Verification and record keeping)
    - ※ 안전인증을 받은 자는 제품검사를 철저히 실시하여 제품의 품질이 안전기준에 미달되지 않도록 유의 (Recipients (license holder) of the safety certification (KC-mark) shall conduct products inspection strictly for products to comply with the safety standard.)
- 안전인증을 받은 자는 전기용품 및 생활용품 안전관리법 제7조 1항 및 동법 시행령 제9조에 의거 2년에 1회 정기검사를 받아야 합니다. (Recipients (license holder) of the safety certification (KC-mark) shall receive routine (regular) factory inspection once every two years according to the Electrical Appliances and Consumer products Safety Control Act article 7(1) and article 9 of Enforcement decree of the same Act.)

(연락처: 인증융합센터, Tel 055-791-3400, 3401)  
(Contact point: Certification Evaluation Center Tel: +82 55 791 3400, 3401)



※ 위 마크는 추후 전자확인증 대조 프로그램에서 원본대조시 사용되는 2D코드입니다.