

# Certificate of Compliance

**Certificate Number(s):**

UL-US-2598069-0

**Report Reference:**

E544125-20251218

**Issue Date:**

2025-12-22

Issued to:

**GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD  
3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, Guangzhou, Guangdong, 511442, CN**

This certificate confirms that representative samples of:

**QQJQ2 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 62368-1, 3rd Ed., Issue Date: 2019-12-13, Revision Date: 2021-10-22**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s):** UL-US-2598069-0  
**Report reference:** E544125-20251218  
**Issue Date:** 2025-12-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## SWITCHING POWER SUPPLY

**Model(s):** WM-LRM200U-2412, WM-LRS200U-24, WM-LRS360U-36, WM-LRM200U-245, WM-LRS200U-36, WM-LRS450U-12, WM-LRM450U-245, WM-LRM200U-125, WM-LRM450U-2412, WM-LRS450U-36, WM-LRM360U-125, WM-LRS360U-24, WM-LRM360U-245, WM-LRS450U-24, WM-LRM450U-125, WM-LRM360U-2412, WM-LRS360U-48, WM-LRS360U-12, WM-LRS450U-48, WM-LRS200U-12, WM-LRS200U-48

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number(s):**

UL-CA-2571908-0

**Report Reference:**

E544125-20251218

**Issue Date:**

2025-12-22

Issued to:

**GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD  
3F, No.147, Shixin road, Kengtou village, Nancun town,  
Panyu district, Guangzhou, Guangdong, 511442, CN**

This certificate confirms that representative samples of:

**QQJQ8 - Power Supplies for Use with Audio/Video, Information  
and Communication Technology Equipment Certified for  
Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 62368-1:19, 3rd Ed., Issue Date: 2019-12-13,  
Revision Date: 2021-10-22**

Additional Information:

See UL Product iQ@ at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s):** UL-CA-2571908-0  
**Report reference:** E544125-20251218  
**Issue Date:** 2025-12-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## SWITCHING POWER SUPPLY

**Model(s):** WM-LRM200U-2412, WM-LRS200U-24, WM-LRS360U-36, WM-LRM200U-245, WM-LRS200U-36, WM-LRS450U-12, WM-LRM450U-245, WM-LRM200U-125, WM-LRM450U-2412, WM-LRS450U-36, WM-LRM360U-125, WM-LRS360U-24, WM-LRM360U-245, WM-LRS450U-24, WM-LRM450U-125, WM-LRM360U-2412, WM-LRS360U-48, WM-LRS360U-12, WM-LRS450U-48, WM-LRS200U-12, WM-LRS200U-48

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.





# 产品认证证书

证书编号: CQC26001497970

发证日期: 2026年01月14日  
有效期至: 2031年01月13日

**委托人名称** 广州旺马电子科技有限公司  
**及注册地址** 广州市番禺区南村镇坑头村市新路北段147号第三层

**制造商名称** 广州旺马电子科技有限公司  
**及注册地址** 广州市番禺区南村镇坑头村市新路北段147号第三层

**生产企业名称** 广州旺马电子科技有限公司  
**及生产地址** 广州市番禺区南村镇坑头村市新路北段147号第二至六层

**产品名称和系列、规格、型号** 开关电源  
见附页(仅适用于海拔5000米及以下)

**产品标准和技术要求** GB 4943.1-2022

**认证模式** 型式试验+获证后监督

上述产品符合 CQC12-045670-2022 认证规则的要求, 特发此证。  
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心有限公司  
中国·北京·南四环西路188号9区 100070

电话: +86 10 83886666  
<http://www.cqc.com.cn>



# 产品认证证书

证书编号: CQC26001497970

第 1 页 / 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号名称	额定输入	额定输出电压 (直流) (VDC)	额定输出电流 (A)	最大额定输出功率 (W)	
WM-LRS450U-12	100-120V~, 10A/ 200-240V~, 6A, 50/60Hz	12	37.5	450	
WM-LRS450U-24		24	18.8	451.2	
WM-LRS450U-36		36	12.5	450	
WM-LRS450U-48		48	9.5	456	
WM-LRM450U-125	100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	33	436	
		5	8		
WM-LRM450U-245		24	16.5	436	
		5	8		
WM-LRM450U-2412		24	15	432	
		12	6		
WM-LRS360U-12		100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	30	360
WM-LRS360U-24			24	15	360
WM-LRS360U-36	36		10	360	
WM-LRS360U-48	48		7.5	360	
WM-LRM360U-125	100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	26	352	
		5	8		
WM-LRM360U-245		24	13	352	
		5	8		
WM-LRM360U-2412		24	12	348	



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



# 产品认证证书

证书编号：CQC26001497970

第 2 页 / 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

		12	5	
WM-LRS200U-12	100-120V~, 4.0A/ 200-240V~, 2.0A, 50/60Hz	12	17	204
WM-LRS200U-24		24	8.8	211.2
WM-LRS200U-36		36	5.9	212.4
WM-LRS200U-48		48	4.5	216
WM-LRM200U-125		12	14	198
		5	6	
WM-LRM200U-245		24	7.5	210
		5	6	
WM-LRM200U-2412		24	6	210
		12	3.5	



中国质量认证中心

CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC26001497970

Valid from: Jan.14,2026

Valid until:Jan.13,2031

<b>NAME AND REGISTERED ADDRESS OF THE APPLICANT</b>	Guangzhou Wangma Electronic Technology Co., Ltd. 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU GUANGDONG 511442, CHINA
<b>NAME AND REGISTERED ADDRESS OF THE MANUFACTURER</b>	Guangzhou Wangma Electronic Technology Co., Ltd. 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU GUANGDONG 511442, CHINA
<b>NAME AND LOCATION OF THE FACTORY</b>	Guangzhou Wangma Electronic Technology Co., Ltd. 2nd-6th floor, 147 Shixin Road, Kengtou village, Nancun Town, Panyu, Guangzhou
<b>PRODUCT NAME, MODEL AND SPECIFICATION</b>	SWITCHING POWER SUPPLY See Appendix (Altitude up to 5000m)
<b>THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS</b>	GB 4943.1-2022
<b>TYPE OF CERTIFICATION SCHEMES</b>	Type testing+Follow up factory inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC12-045670-2022.  
The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.  
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666  
<http://www.cqc.com.cn>



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC26001497970

page1of2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Model name	Rated input	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)	
WM-LRS450U-12	100-120V~, 10A/ 200-240V~, 6A, 50/60Hz	12	37.5	450	
WM-LRS450U-24		24	18.8	451.2	
WM-LRS450U-36		36	12.5	450	
WM-LRS450U-48		48	9.5	456	
WM-LRM450U-125	100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	33	436	
		5	8		
WM-LRM450U-245		24	16.5	436	
		5	8		
WM-LRM450U-2412		24	15	432	
		12	6		
WM-LRS360U-12		100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	30	360
WM-LRS360U-24			24	15	360
WM-LRS360U-36			36	10	360
WM-LRS360U-48			48	7.5	360
WM-LRM360U-125		100-120V~, 6.8A/ 200-240V~, 3.4A, 50/60Hz	12	26	352
			5	8	
WM-LRM360U-245	24		13	352	
	5		8		



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC26001497970

page2of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

WM-LRM360U-2412		24	12	348
		12	5	
WM-LRS200U-12	100-120V~, 4.0A / 200-240V~, 2.0A, 50/60Hz	12	17	204
WM-LRS200U-24		24	8.8	211.2
WM-LRS200U-36		36	5.9	212.4
WM-LRS200U-48		48	4.5	216
			12	14
WM-LRM200U-125		5	6	
WM-LRM200U-245		24	7.5	210
		5	6	
WM-LRM200U-2412		24	6	210
		12	3.5	



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



Ref. Certif. No.

DK-173563-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product
Name and address of the applicant
Name and address of the manufacturer
Name and address of the factory
Note: When more than one factory, please report on page 2

SWITCHING POWER SUPPLY
GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD
3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district
Guangzhou, Guangdong, 511442
China
GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD
3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district
Guangzhou, Guangdong, 511442
China
GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD
3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district
Guangzhou, Guangdong, 511442
China

Ratings and principal characteristics

1) 100-120V~, 10A / 200-240V~, 6A, 50/60Hz
Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

WM-LRS450U-12, WM-LRS450U-24, WM-LRS450U-36, WM-LRS450U-48,
WM-LRM450U-125, WM-LRM450U-245, WM-LRM450U-2412,
Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

National Differences: CA, CN, EU Group Differences, KR, GB, US
Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

250707041 issued on 2025-10-26

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-11-22

Signature: [Handwritten Signature]
Thomas Wilson



Ref. Certif. No.

**DK-173563-UL**

**Additional Model Detail(s):**

WM-LRS360U-12, WM-LRS360U-24, WM-LRS360U-36, WM-LRS360U-48, WM-LRM360U-125, WM-LRM360U-245, WM-LRM360U-2412, WM-LRS200U-12, WM-LRS200U-24, WM-LRS200U-36, WM-LRS200U-48, WM-LRM200U-125, WM-LRM200U-245, WM-LRM200U-2412

**Additional Ratings:**

2) 100-120V~, 6.8A / 200-240V~, 3.4A, 50/60Hz,

3) 100-120V~, 4.0A / 200-240V~, 2.0A, 50/60Hz.

See test report for details.

**Additionally evaluated to:**

EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-11-22

Signature:

Thomas Wilson

# UL Type Examination Certificate

**Certificate**  
UL TEC-04958

**Issue date**  
2025-11-24

This is to acknowledge that

**GUANGZHOU WANGMA  
ELECTRONIC TECHNOLOGY CO LTD**

3F, NO.147, SHIXIN ROAD, KENGTOU VILLAGE  
NANCUN TOWN, PANYU DISTRICT GUANGZHOU, Guangdong, 511442 CHINA

has had

**SWITCHING POWER SUPPLY**


WM-LRS450U-12,WM-LRS450U-24,WM-LRS450U-36,  
WM-LRS450U-48,WM-LRM450U-125,WM-LRM450U-245,  
WM-LRM450U-2412,

See Page 2

evaluated and meets the requirements of the standard

**EN IEC 62368-1:2020,  
EN IEC 62368-1:2020/A11:2020**

Test Report No. 250707041 issued on 2025-10-26

  
Certification Manager  
Thomas Wilson

**UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark,  
Tel. +45 44 85 65 65, [www.ul.com](http://www.ul.com)**

This is to certify that the sample(s) of the Product described herein has been investigated and found to have been in compliance with the Standard(s) indicated on this Certificate, in accordance with the UL Type Examination Certificate Program Requirements. This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL Solutions did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL Solutions has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL Solutions' prior written approval.

# UL TYPE EXAMINATION CERTIFICATE

## TECHNICAL DETAILS

**Manufacturing site/location** GUANGZHOU WANGMA ELECTRONIC TECHNOLOGY CO LTD  
3F, NO.147, SHIXIN ROAD, KENGTUO VILLAGE  
NANCUN TOWN, PANYU DISTRICT GUANGZHOU, GUANGDONG, 511442  
CHINA

**Models (continued from page 1)** WM-LRS360U-12, WM-LRS360U-24, WM-LRS360U-36, WM-LRS360U-48,  
WM-LRM360U-125, WM-LRM360U-245, WM-LRM360U-2412,  
WM-LRS200U-12, WM-LRS200U-24, WM-LRS200U-36, WM-LRS200U-48,  
WM-LRM200U-125, WM-LRM200U-245, WM-LRM200U-2412

**Trademark**



**Ratings**

- 1) 100-120V~, 10A / 200-240V~, 6A, 50/60Hz
- 2) 100-120V~, 6.8A / 200-240V~, 3.4A, 50/60Hz,
- 3) 100-120V~, 4.0A / 200-240V~, 2.0A, 50/60Hz.

See test report for details.



## 안전확인신고증명서 Confirmation Letter of Declaration

신고번호 : XU103958-26002  
(Application No.)

신고회사명 : Guangzhou Wangma Electronic Technology Co., Ltd.  
(Applicant)

주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU  
(Address) GUANGDONG 511442, CHINA

제품명 : 컴퓨터용 전원공급장치  
(Product)

기본모델명 : WM-LRS450U-48  
(Basic Model)

파생모델명 (Series Model) :  
WM-LRS450U-12, WM-LRS450U-24, WM-LRS450U-36, [이면기재]

정격/안전기준상의 모델 구분 : 100-120 V~, 10 A/200-240 V~, 6 A, 50/60 Hz (Output: 48 Vdc 9.5 A)  
(Rating)

안전기준 : KC 62368-1(2025-10)  
(Standard)

본 확인신고는 제조국명 : 중국

제조업자명 : Guangzhou Wangma Electronic Technology Co., Ltd.

제조공장의 주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district,  
GUANGZHOU GUANGDONG 511442, CHINA  
의 제품에만 해당함

전기용품 및 생활용품 안전관리법 시행규칙 제28조제1항, 같은 조제3항, 제29조제2항 또는 제34조제2항에 따라 안전확인신고증명서를 발급합니다.

We issue this Confirmation Letter of Declaration of the safety Confirmation for the above appliances in accordance with Article 28(1), 28(3), 29(2) or 34(2) of the Electrical Appliances and Consumer Products Safety Control Act.

2026년 02월 04일  
(Year) (Month) (Day)

한국기계전기전자시험연구원  
Korea Testing Certification Institute



※ 이 증명서는 「전기용품 및 생활용품 안전관리법」에 따른 제품의 안전성 확인에 한정된 것이며, 그 밖의 다른 법률이 적용되는 제품의 경우에는 해당 법률에 따라 추가로 인증·허가 등을 받아야 합니다.

첨부서류

- 전기용품의 안전관리부품 및 재질목록(List of Critical Components)(전기용품에 한정한다)
- 기본모델·파생모델의 내용(Description of the basic and series model)
- 안전확인신고 내용의 변경 현황(Revisions Status)

## 증명서를 받은 자의 유의 사항 Notification for Recipients

1. 본 증명서는 기재된 제조공장에서 생산된 제품으로서 적용된 안전기준에 적합한 경우에 한하여 유효합니다.  
(This certificate is valid only when the product meets the safety standards and is produced from the manufacturing factory that states on this certificate.)
2. 본 증명 마크는 본래의 의미와 다르게 사용자가 오해를 일으킬 수 있는 방법으로 광고, 카탈로그 등에 사용하면 인증정지 또는 취소의 사유가 됩니다.  
(Ceasation or cancellation of the certification may occur if the actual meaning of the Certification Mark is misled to the public by false advertisement on a overstated catalog of the product.)
3. 다음과 같은 사유가 발생할 경우에는 안전인증기관에 확인증명 변경 신청을 하여 재교부 받아야 합니다.  
(In case of the following events, the Confirmation Letter of Declaration shall be reapplied and reissued for revision)
  - 1) 제조자, 대표자, 주소 등 증명서 기재내용의 변경  
(Revisions in contents of the certificate such as manufacturer representative, address and etc.)
  - 2) 파생모델의 추가, 변경 또는 삭제 (Additions, changes, or removals of series model)
  - 3) 안전관리 부품의 변경 또는 추가  
(Additions or changes in components which are listed on certificate)
4. 증명서를 받은 자는 다음 사항을 이행하여야 합니다.  
(Recipients of the Certificate shall comply with the followings.)
  - 1) 증명 표시 등 증명 요건의 유지관리  
(Maintaining and preserving the Mark and other certification requirements)
    - \* 증명을 받기 이전 또는 정지, 취소된 이후 생산된 제품에 증명 표시를 하면 법에 의거 처벌을 받게 됩니다.  
(It will be punished by the law of the certification mark is used before the issue (or after suspension or cancellation) of the certification.)
  - 2) 자체 검사의 실시 및 그 기록관리 (Self-testing and record keeping)
    - \* 증명을 받은 자는 제품검사를 철저히 실시하여 제품의 품질이 안전기준에 미달되지 않도록 유의.  
(Recipients of the Certificate shall conduct product inspection strictly for products to comply with the safety standards)
5. 인증서(증명서)에는 진위여부 확인을 위해 다음과 같은 사항이 적용되어 있습니다.
  - 1) 문서관리번호 (문서관리번호 노출시 CS홈페이지를 통해 기술문서 내용이 조회 가능함으로 사본 등 제출시 노출되지 않도록 주의하시기 바랍니다.)
  - 2) 시점확인필
  - 3) 2D바코드

인증시의 조건: 동 제품의 생산 시 자체검사를 실시하고 안전인증 시 등록된 부품누락 및 임의 변경하지 말 것.  
Conditions of Certification : In the production of this product, conduct a self-test and do not miss and change the registered components.

**파생모델명**

WM-LRM450U-125,WM-LRM450U-245,WM-LRM450U-2412





## 안전확인신고증명서 Confirmation Letter of Declaration

신고번호 : XU103958-26003  
(Application No.)

신고회사명 : Guangzhou Wangma Electronic Technology Co., Ltd.  
(Applicant)

주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU  
(Address) GUANGDONG 511442, CHINA

제품명 : 컴퓨터용 전원공급장치  
(Product)

기본모델명 : WM-LRS360U-12  
(Basic Model)

파생모델명 (Series Model) :  
WM-LRS360U-24, WM-LRS360U-36, WM-LRS360U-48, [이면기재]

정격/안전기준상의 모델 구분 : 100-120 V~, 6.8 A / 200-240 V~, 3.4 A, 50/60 Hz (Output: 12 Vdc 30 A)  
(Rating)

안전기준 : KC 62368-1(2025-10)  
(Standard)

본 확인신고는 제조국명 : 중국

제조업자명 : Guangzhou Wangma Electronic Technology Co., Ltd.

제조공장의 주소 : 3F, No.147, Shixin road, Kengtou village, Nancun town, Panyu district,  
GUANGZHOU GUANGDONG 511442, CHINA  
의 제품에만 해당함

전기용품 및 생활용품 안전관리법 시행규칙 제28조제1항, 같은 조제3항, 제29조제2항 또는 제34조제2항에 따라 안전확인신고증명서를 발급합니다.

We issue this Confirmation Letter of Declaration of the safety Confirmation for the above appliances in accordance with Article 28(1), 28(3), 29(2) or 34(2) of the Electrical Appliances and Consumer Products Safety Control Act.

2026년 02월 04일  
(Year) (Month) (Day)

한국기계전기전자시험연구원  
Korea Testing Certification Institute



※ 이 증명서는 「전기용품 및 생활용품 안전관리법」에 따른 제품의 안전성 확인에 한정된 것이며, 그 밖의 다른 법률이 적용되는 제품의 경우에는 해당 법률에 따라 추가로 인증·허가 등을 받아야 합니다.

첨부서류

- 전기용품의 안전관리부품 및 재질목록(List of Critical Components)(전기용품에 한정한다)
- 기본모델·파생모델의 내용(Description of the basic and series model)
- 안전확인신고 내용의 변경 현황(Revisions Status)

## 증명서를 받은 자의 유의 사항 Notification for Recipients

1. 본 증명서는 기재된 제조공장에서 생산된 제품으로서 적용된 안전기준에 적합한 경우에 한하여 유효합니다.  
(This certificate is valid only when the product meets the safety standards and is produced from the manufacturing factory that states on this certificate.)
2. 본 증명 마크는 본래의 의미와 다르게 사용자가 오해를 일으킬 수 있는 방법으로 광고, 카탈로그 등에 사용하면 인증정지 또는 취소의 사유가 됩니다.  
(Ceasation or cancellation of the certification may occur if the actual meaning of the Certification Mark is misled to the public by false advertisement on a overstated catalog of the product.)
3. 다음과 같은 사유가 발생할 경우에는 안전인증기관에 확인증명 변경 신청을 하여 재교부 받아야 합니다.  
(In case of the following events, the Confirmation Letter of Declaration shall be reapplied and reissued for revision)
  - 1) 제조자, 대표자, 주소 등 증명서 기재내용의 변경  
(Revisions in contents of the certificate such as manufacturer representative, address and etc.)
  - 2) 파생모델의 추가, 변경 또는 삭제 (Additions, changes, or removals of series model)
  - 3) 안전관리 부품의 변경 또는 추가  
(Additions or changes in components which are listed on certificate)
4. 증명서를 받은 자는 다음 사항을 이행하여야 합니다.  
(Recipients of the Certificate shall comply with the followings.)
  - 1) 증명 표시 등 증명 요건의 유지관리  
(Maintaining and preserving the Mark and other certification requirements)
    - \* 증명을 받기 이전 또는 정지, 취소된 이후 생산된 제품에 증명 표시를 하면 법에 의거 처벌을 받게 됩니다.  
(It will be punished by the law of the certification mark is used before the issue (or after suspension or cancellation) of the certification.)
  - 2) 자체 검사의 실시 및 그 기록관리 (Self-testing and record keeping)
    - \* 증명을 받은 자는 제품검사를 철저히 실시하여 제품의 품질이 안전기준에 미달되지 않도록 유의.  
(Recipients of the Certificate shall conduct product inspection strictly for products to comply with the safety standards)
5. 인증서(증명서)에는 진위여부 확인을 위해 다음과 같은 사항이 적용되어 있습니다.
  - 1) 문서관리번호 (문서관리번호 노출시 CS홈페이지를 통해 기술문서 내용이 조회 가능함으로 사본 등 제출시 노출되지 않도록 주의하시기 바랍니다.)
  - 2) 시점확인필
  - 3) 2D바코드

인증시의 조건: 동 제품의 생산 시 자체검사를 실시하고 안전인증 시 등록된 부품누락 및 임의 변경하지 말 것.  
Conditions of Certification : In the production of this product, conduct a self-test and do not miss and change the registered components.

**파생모델명**

WM-LRM360U-125,WM-LRM360U-245,WM-LRM360U-2412





## 안전확인신고증명서 Confirmation Letter of Declaration

신고번호 : XU103958-26004  
(Application No.)

신고회사명 : Guangzhou Wangma Electronic Technology Co., Ltd.  
(Applicant)

주소 : 3F, No. 147, Shixin road, Kengtou village, Nancun town, Panyu district, GUANGZHOU  
(Address) GUANGDONG 511442, CHINA

제품명 : 컴퓨터용 전원공급장치  
(Product)

기본모델명 : WM-LRS200U-48  
(Basic Model)

파생모델명 (Series Model) :  
WM-LRS200U-12, WM-LRS200U-24, WM-LRS200U-36, [이면기재]

정격/안전기준상의 모델 구분 : 100-120 V~, 4.0 A / 200-240 V~, 2.0 A, 50/60 Hz (Output: 48 Vdc 4.5 A)  
(Rating)

안전기준 : KC 62368-1(2025-10)  
(Standard)

본 확인신고는 제조국명 : 중국

제조업자명 : Guangzhou Wangma Electronic Technology Co., Ltd.

제조공장의 주소 : 3F, No. 147, Shixin road, Kengtou village, Nancun town, Panyu district,  
GUANGZHOU GUANGDONG 511442, CHINA  
의 제품에만 해당함

전기용품 및 생활용품 안전관리법 시행규칙 제28조제1항, 같은조제3항, 제29조제2항 또는 제34조제2항에 따라 안전확인신고증명서를 발급합니다.

We issue this Confirmation Letter of Declaration of the safety Confirmation for the above appliances in accordance with Article 28(1), 28(3), 29(2) or 34(2) of the Electrical Appliances and Consumer Products Safety Control Act.

2026년 02월 04일  
(Year) (Month) (Day)

한국기계전기전자시험연구원  
Korea Testing Certification Institute



\* 이 증명서는 「전기용품 및 생활용품 안전관리법」에 따른 제품의 안전성 확인에 한정된 것이며, 그 밖의 다른 법률이 적용되는 제품의 경우에는 해당 법률에 따라 추가로 인증·허가 등을 받아야 합니다.

첨부서류

- 전기용품의 안전관리부품 및 재질목록(List of Critical Components)(전기용품에 한정한다)
- 기본모델·파생모델의 내용(Description of the basic and series model)
- 안전확인신고 내용의 변경 현황(Revisions Status)

## 증명서를 받은 자의 유의 사항 Notification for Recipients

- 본 증명서는 기재된 제조공장에서 생산된 제품으로서 적용된 안전기준에 적합한 경우에 한하여 유효합니다.  
(This certificate is valid only when the product meets the safety standards and is produced from the manufacturing factory that states on this certificate.)
- 본 증명 마크는 본래의 의미와 다르게 사용자가 오해를 일으킬 수 있는 방법으로 광고, 카탈로그 등에 사용하면 인증정지 또는 취소의 사유가 됩니다.  
(Ceasation or cancellation of the certification may occur if the actual meaning of the Certification Mark is misled to the public by false advertisement on a overstated catalog of the product.)
- 다음과 같은 사유가 발생할 경우에는 안전인증기관에 확인증명 변경 신청을 하여 재교부 받아야 합니다.  
(In case of the following events, the Confirmation Letter of Declaration shall be reapplied and reissued for revision)
  - 1) 제조자, 대표자, 주소 등 증명서 기재내용의 변경  
(Revisions in contents of the certificate such as manufacturer representative, address and etc.)
  - 2) 파생모델의 추가, 변경 또는 삭제 (Additions, changes, or removals of series model)
  - 3) 안전관리 부품의 변경 또는 추가  
(Additions or changes in components which are listed on certificate)
- 증명서를 받은 자는 다음 사항을 이행하여야 합니다.  
(Recipients of the Certificate shall comply with the followings.)
  - 1) 증명 표시 등 증명 요건의 유지관리  
(Maintaining and preserving the Mark and other certification requirements)
    - \* 증명을 받기 이전 또는 정지, 취소된 이후 생산된 제품에 증명 표시를 하면 법에 의거 처벌을 받게 됩니다.  
(It will be punished by the law of the certification mark is used before the issue (or after suspension or cancellation) of the certification.)
  - 2) 자체 검사의 실시 및 그 기록관리 (Self-testing and record keeping)
    - \* 증명을 받은 자는 제품검사를 철저히 실시하여 제품의 품질이 안전기준에 미달되지 않도록 유의.  
(Recipients of the Certificate shall conduct product inspection strictly for products to comply with the safety standards)
- 인증서(증명서)에는 진위여부 확인을 위해 다음과 같은 사항이 적용되어 있습니다.
  - 1) 문서관리번호 (문서관리번호 노출시 CS홈페이지를 통해 기술문서 내용이 조회 가능함으로 사본 등 제출시 노출되지 않도록 주의하시기 바랍니다.)
  - 2) 시점확인필
  - 3) 2D바코드

인증서의 조건: 동 제품의 생산 시 자체검사를 실시하고 안전인증 시 등록된 부품누락 및 임의 변경하지 말 것.  
Conditions of Certification : In the production of this product, conduct a self-test and do not miss and change the registered components.

**파생모델명**

WM-LRM200U-125,WM-LRM200U-245,WM-LRM200U-2412

